



GLIMAKRA
OF SWEDEN

EXPORT PRICE LIST 2014

EFFECTIVE FROM MARCH 1

All prices in **EUR** excl. VAT.

PRODUCT GROUP	PRODUCT NAME	PAGE
WALLABSORBENT	OCEAN	3
	GLOBAL	4 - 5
	LIMBUS	6 - 7
	WANNABETREE WALL	9
SCREENS SYSTEMS	ALP	10
	CONTRAST	28 - 29
	E-LINE	12 - 13
	EUROPO SCREEN	14 - 15
	LIMBUS	16 - 17
	LIMBUS "CONCEPT"	16 - 17
	MULTIMIX	18 - 19
	NATURA	20 - 21
	NOPIANO	22 - 23
	PRIVACY	11
	TEMA	24 - 25
	WANNABETREE	8 - 9
	WEBB	26
VIKING	27	
DESK-UP SCREENS	CONTRAST	28 - 29
	CONTRAST "LIGHT"	28 - 29
	LIMBUS	30 - 31
	RANDI	33
	ZIGGY	34 - 35
SUPPLIES	CONTRAST / LIMBUS	32
DESKS	CASTLE	36 - 37
	EUROPO DISC	38 - 39
	MULTIMIX	40 - 41
	ZIGGY	34 - 35
WALLSYSTEM / ROOM	EUROPO ROOM	42 - 43
WARDROBE / CABINET	LINK CABINET	44
	ROCK´N ROLL	45
COAT RACK	KLODS HANS	46
OTHER	LIMBUS BAFFLES	30 - 31
	TERMS	47



**GLIMAKRA
OF SWEDEN**

Glimakra of Sweden AB
Box 125, SE-280 64 Glimåkra, Sweden
Tel 044-454 10. Fax 044-454 11
Export: Tel +46 44 454 20. Fax +46 44 454 21

Showrooms
Glimåkra Tel 044-454 10
Stockholm Studio B3 Tel 08-21 42 31

info@glimakra.com www.glimakra.com

OCEAN

Design Maria Grönberg



OCEAN WALL ABSORBENT

Acoustic panel, including mounting strip

Upholstery

Fabric Lucia from Camira

Fabric Blazer from Camira

Fabric Flex from Gabriel

Fabric Europost from Gabriel

Customer's fabric

Required quantity of fabric: (+ pattern fit)

Fabric width: min, the width of the absorbent + 20 cm:

Weight

Width x Height in mm

670 x 670

335.-

366.-

366.-

417.-


300.-

0,9 m


5,5 kg

Body of MDF,
40 mm sound-absorbing
foam covered with fabric.

SOUND ABSORPTION OCEAN



Tested according to SS-EN ISO354 for sound absorbing.
Evaluated according to SS-EN ISO 11654.
Active material: Fabric and 40 mm polyether on 8 mm MDF-board.




C/C 603 mm

GLOBAL


Design Team Glimakra



SOUND ABSORPTION GLOBAL



Tested according to SS-EN ISO354 for sound absorbing.
 Evaluated according to SS-EN ISO 11654.
 Active material: Fabric and 40 mm polyether on 8 mm MDF-board.



GLOBAL WALLABSORBENT Round

Acoustic panel, including mounting strip

	Diameter in mm			Body of MDF, 40 mm sound-absorbing foam covered with fabric.
	Ø 700	Ø 900	Ø 1200	
Upholstery				
Fabric Lucia from Camira	276.-	338.-	432.-	
Fabric Blazer from Camira	317.-	389.-	493.-	
Fabric Flex from Gabriel	311.-	383.-	488.-	
Fabric Europost from Gabriel	373.-	458.-	581.-	
Customer's fabric	250.-	307.-	390.-	
Required quantity of fabric: (+ pattern fit)				
Fabric width: min, the size of the absorbent + 20 cm:	0,9 m	1,1 m	1,4 m	
Weight	4,5 kg	7 kg	11,5 kg	

GLOBAL WALLABSORBENT Square

Acoustic panel, including mounting strip

	Width x Height in mm			Body of MDF, 40 mm sound-absorbing foam covered with fabric.
	600 x 600	600 x 1200	1200 x 1200	
Upholstery				
Fabric Lucia from Camira	248.-	313.-	432.-	
Fabric Blazer from Camira	274.-	325.-	493.-	
Fabric Flex from Gabriel	272.-	343.-	488.-	
Fabric Europost from Gabriel	325.-	374.-	581.-	
Customer's fabric	215.-	266.-	390.-	
Required quantity of fabric: (+ pattern fit)				
Fabric width: min, the size of the absorbent + 20 cm:	0,8 m	0,8 m or 1,4 m depending on the pattern of fabric.	1,4 m	
Weight	4 kg	8 kg	16 kg	



LIMBUS

Design Team Glimakra



LIMBUS WALLABSORBENT 50 mm

Acoustic panel, including mounting strip, straight corners.

Body of MDF, 40 mm sound-absorbing foam covered with fabric.

Upholstery

Fabric Lucia from Camira

Fabric Blazer from Camira

Fabric Basic from Bogesunds

Fabric Europost from Gabriel

Customer's fabric

Required quantity of fabric: (+ pattern fit)

Fabric width: min, the size of the absorber + 20 cm:

Weight

Width x Height in mm

600 x 600

600 x 1200

1200 x 1200

245 .-

296 .-

444 .-

272 .-

323 .-

490 .-

266 .-

317 .-

481 .-

301 .-

352 .-

541 .-

215 .-

266 .-

391 .-

0,8 m

0,8 m or 1,4 m depending
on the pattern of fabric.


1,4 m

4 kg


8 kg

16 kg

SOUND ABSORPTION LIMBUS



Tested according to SS-EN ISO354 for sound absorbing.
Evaluated according to SS-EN ISO 11654.
Active material: Fabric and 40 mm polyether on 8 mm MDF-board.



LIMBUS

Design Team Glimakra
Artist Ulrika Hydman Vallien

CATWOMAN



CATMAN



LIMBUS "ART COLLECTION" WALLABSORBENT 50 mm

Acoustic panel, including mounting strip, straight corners.

Body of MDF, 40 mm sound-absorbing foam covered with fabric.

Upholstery

Printed on the fabric "SAMMAT" after original lithographs, Ulrika Hydman Vallien CATWOMAN, Catman

Weight

Width x Height in mm

700 x 900

708.-


7 kg

WANNABETREE

Design Bertil Harström SIR/MSA




SOUND ABSORPTION WANNABETREE




Tested according to SS-EN ISO354 for sound absorbing.
 Evaluated according to SS-EN ISO 11654.
 Active material: Fabric and 2x20 mm polyether on 16 mm SWL-board.

WANDELEMENTE



STELLWÄNDE



WANNABETREE FLOORSCREEN

Acoustic screen, including foot

Width x Height in mm

No. 4 1070 x 1415	No. 5 1115 x 1800	No. 6 1235 x 2085
----------------------	----------------------	----------------------

Upholstery

Fabric Lucia from Camira	994.-	1 193.-	1 405.-
Fabric Blazer from Camira	1 092.-	1 319.-	1 553.-
Fabric Flex from Gabriel	1 058.-	1 294.-	1 524.-
Fabric Europost from Gabriel	1 242.-	1 530.-	1 800.-
Peri (wipe off)	1 092.-	1 319.-	1 553.-

WANNABETREE WALLABSORBENT

Acoustic panel, including mounting strip

Width x Height in mm

No. 4 1070 x 1135	No. 5 1115 x 1525	No. 6 1235 x 1810
----------------------	----------------------	----------------------

Upholstery

Fabric Lucia from Camira	690.-	889.-	1 101.-
Fabric Blazer from Camira	788.-	1 015.-	1 249.-
Fabric Flex from Gabriel	754.-	990.-	1 220.-
Fabric Europost from Gabriel	938.-	1 226.-	1 496.-
Peri (wipe off)	788.-	1 015.-	1 249.-

WEIGHT

No. 4	No. 5	No. 6	Foot
8 kg	12 kg	15 kg	7 kg



ALP

Design Tim Alpen




ALP FLOORSCREEN

Acoustic screen, incl. wheels

Width x Height in mm


Upholstery	Width x Height in mm			Writing board 650 x 970 x 11	Penholder	Eraser
	Small 1180 x 1100	Medium 1180 x 1450	Large 1180 x 1800			
Fabric Blazer from Camira	1 422.-	1 698.-	2 027.-	368.-	36.-	54.-
Tyg Europost från Gabriel	1 697.-	2 052.-	2 459.-	368.-	36.-	54.-
Required quantity of fabric: Fabric width: min 140 cm.	4,9 m	6,3 m	7,7 m			
Weight / Volume	23 kg / 0,45 m ³	30 kg / 0,7 m ³	36 kg / 1,0 m ³			

SOUND ABSORPTION ALP



Tested according to SS-EN ISO354 for sound absorbing.
Evaluated according to SS-EN ISO 11654.
Active material: 15 mm polyether on 6 mm MDF-board.

WRITING BOARD ALP



PRIVACY

Design Vibeke Buchwaldt MDD



PRIVACY FLOORSCREEN

Acoustic screen, Stand: Black metal


Width x Height in mm

Upholstery


1400 x 1500

Fabric Lucia from Camira	1 034 .-
Fabric Blazer from Camira	1 143 .-
Fabric Flex from Gabriel	1 336 .-
Fabric Europost from Gabriel	1 124 .-
Fabric Bloom from Svensson Markspelle, coloursamples see www.ludvigsvensson.com	1 418 .-
Customer's fabric	914 .-

Required quantity of fabric: 3,1 m + pattern fit. Fabric width: min 140 cm. Weight 30 kg **ATTENTION!** The fabric is mounted horizontally.



Tested according to SS-EN ISO354 for sound absorbing.
Evaluated according to SS-EN ISO 11654.
Active material: FAbrc and 2x35 mm polyether.




E-LINE

Design Team Glimakra / Rune Karlsson




SOUND ABSORPTION E-LINE




Tested according to SS-EN ISO354 for sound absorbing.
 Evaluated according to SS-EN ISO 11654.
 Active: Fabric and 2x20 mm polyether on 2x6 mm MDF-board.

FLOOR SCREEN



TOP-MODULE



E-LINE FLOORSCREEN

Acoustic screen

Width x Height in mm

Birch natural

800 x 1340 1000 x 1340 1200 x 1340 800 x 1640 1000 x 1640 1200 x 1640

Filling

Fabric Lucia on sound absorbent / Veneer birch	656.-	680.-	746.-	660.-	782.-	903.-
Fabric Blazer on sound absorbent / Veneer birch	762.-	822.-	887.-	863.-	966.-	1088.-
Fabric Flex on sound absorbent / Veneer birch	762.-	822.-	887.-	863.-	966.-	1088.-
Fabric Europost on sound absorbent / Veneer birch	870.-	1010.-	1076.-	1089.-	1194.-	1315.-
Customer's fabric on sound absorbent / Veneer birch	539.-	598.-	664.-	595.-	698.-	821.-
Cable access	+152.-	+152.-	+152.-	+152.-	+152.-	+152.-
Standard stain / screen	+142.-					

E-LINE – TOP MODULE

Acoustic screen







Width x Height in mm

800 x 300 1000 x 300 1200 x 300


Filling

Glass	323.-	362.-	382.-
Fabric Lucia from Camira on sound absorbent	323.-	362.-	382.-
Fabric Blazer from Camira on sound absorbent	343.-	374.-	390.-
Fabric Flex from Gabriel on sound absorbent	349.-	394.-	417.-
Fabric Europost from Gabriel on sound absorbent	390.-	422.-	438.-
Customer's fabric on sound absorbent	287.-	318.-	334.-

FITTINGS AND FEET

	Foot straight	21.-
	Foot single	21.-
	Top fitting straight	15.-
	Foot 45° Top fitting 45° Cover strip birch 45°	107.-
	Foot 90° Top fitting 90° Cover strip birch 90°	107.-
	Foot 3-way Top fitting 3-way Cover strip birch 3-way	107.-
	Foot 4-way Top fitting 4-way	76.-

POWER FRAME



Frame incl. power supply
16A/3600W (std)
Swedish standard

493.-

To fit other country
standard.

Quotation

Cable 3m

32.-

T- Connection

30.-

Connection cable 2m

30.-




EUROPO SCREEN

Design Team Glimakra



SOUND ABSORPTION EUROPO SCREEN 15 mm, SS-EN ISO 354 and 11654



Weighted screen sound attenuation acc. to ISO 10053. Delta L_{s,w}=20dB
Tested according to SS-EN ISO354 for sound absorbing.
Evaluated according to SS-EN ISO 11654.
Active material: Fabric and 2x15 mm polyether on 8 mm MDF-board.

Width x Height in mm

Beech or birch natural	800 x 1500	800 x 1800	1000 x 1500	1000 x 1800	1200 x 1500	1200 x 1800
Veneer	675 .-	715 .-	721 .-	769 .-	769 .-	816 .-
Glass tempered	571 .-	642 .-	650 .-	713 .-	709 .-	752 .-
Etched Glass, tempered	638 .-	721 .-	736 .-	816 .-	832 .-	876 .-
Fabric Lucia from Camira on sound absorbent	713 .-	767 .-	849 .-	939 .-	907 .-	963 .-
Fabric Blazer from Camira on sound absorb.	870 .-	958 .-	913 .-	1015 .-	961 .-	1048 .-
Fabric Flex from Gabriel on sound absorbent	752 .-	814 .-	925 .-	1022 .-	984 .-	1044 .-
Fabric Europost from Gabriel on sound absorbent	1085 .-	1210 .-	1128 .-	1267 .-	1177 .-	1301 .-
Customer's fabric on sound absorbent	648 .-	692 .-	691 .-	749 .-	739 .-	783 .-
Oak natural	800 x 1500	800 x 1800	1000 x 1500	1000 x 1800	1200 x 1500	1200 x 1800
Veneer	777 .-	821 .-	829 .-	885 .-	885 .-	939 .-
Glass tempered	657 .-	737 .-	747 .-	818 .-	814 .-	863 .-
Etched Glass, tempered	721 .-	817 .-	832 .-	913 .-	939 .-	988 .-
Fabric Lucia from Camira on sound absorbent	818 .-	882 .-	976 .-	1080 .-	1043 .-	1107 .-
Fabric Blazer from Camira on sound absorb.	968 .-	1062 .-	1017 .-	1126 .-	1070 .-	1164 .-
Fabric Flex from Gabriel on sound absorbent	863 .-	935 .-	1063 .-	1176 .-	1131 .-	1202 .-
Fabric Europost from Gabriel on sound absorbent	1183 .-	1315 .-	1233 .-	1379 .-	1286 .-	1417 .-
Customer's fabric on sound absorbent	746 .-	797 .-	795 .-	860 .-	849 .-	899 .-

Concealed fittings

	Beech or birch natural	Oak natural
Connecting Strip straight or End Strip	64 .-	72 .-
Connecting Strip, 90° or 60° or 45°	75 .-	90 .-
Connecting Strip 3-way or 4-way fitting	91 .-	102 .-
Support, diagonal	89 .-	100 .-
Europo foot, Straight, 500 mm, grey	Art.No. 189048	39 .-



Surcharge for other models

Standard stain	+ 72 .-
Dividing border	+ 72 .-

Calculation of divided screen

The highest filling price + Dividing borders, gives the price on a divided screen.

Example: The combination glass and veneer is calculated on the veneer price + Dividing borders.




LIMBUS


Design Team Glimakra



SOUND ABSORPTION LIMBUS 40 mm



Tested according to SS-EN ISO354 for sound absorbing.
 Evaluated according to SS-EN ISO 354 and 11654.
 Active: Fabric and 2x15 mm polyether on 8 mm MDF-board.



LIMBUS FLOORSCREEN 40 mm

Width x Height 1200 mm

With piping, available in several colours	800	1000	1200	1400	1600	1800
Soundabsorbing foam covered with fabric.						
Fabric Lucia from Camira	425.-	487.-	594.-	650.-	702.-	798.-
Fabric Blazer from Camira	485.-	559.-	680.-	764.-	844.-	924.-
Fabric Basic from Bogesunds	472.-	544.-	661.-	717.-	821.-	897.-
Customer's fabric	357.-	403.-	495.-	551.-	603.-	654.-
Required quantity of fabric: (+ pattern fit)						
Fabric width: 170 cm or more:	1,8 m	2,2 m	2,6 m	2,6 m	2,6 m	3,8 m
Fabric width: minimum 130 cm:	1,8 m	2,2 m	2,6 m	3,0 m	3,4 m	3,8 m

Width x Height 1500 mm

	800	1000	1200	800	1000	1200
Fabric Lucia from Camira	465.-	532.-	650.-	588.-	645.-	747.-
Fabric Blazer from Camira	624.-	675.-	778.-	714.-	771.-	873.-
Fabric Basic from Bogesunds	604.-	653.-	756.-	687.-	744.-	846.-
Customer's fabric	397.-	448.-	551.-	444.-	501.-	603.-
Required quantity of fabric: (+ pattern fit)						
Fabric width: 170 cm or more:	1,8 m	2,2 m	2,6 m	3,8 m	3,8 m	3,8 m
Fabric width: minimum 130 cm:	3,2 m	3,2 m	3,2 m	3,8 m	3,8 m	3,8 m
Limbus straight chrome feet, per pair			40 x 360 x 6 mm	Art.Nr	5730000	94.-

Width x Height 1800 mm

LIMBUS CONCEPT 40 mm

See our wide accessory program from Kondator.

Width x Height 1260 mm

With piping, available in several colours	800	1000	1200	1400	1600	1800
Soundabsorbing foam covered with fabric.						
Fabric Lucia from Camira	479.-	548.-	670.-	733.-	792.-	897.-
Fabric Blazer from Camira	539.-	620.-	755.-	847.-	934.-	1 022.-
Fabric Basic from Bogesunds	526.-	605.-	737.-	800.-	911.-	996.-
Customer's fabric	411.-	464.-	748.-	634.-	693.-	753.-
Required quantity of fabric: (+ pattern fit)						
Fabric width: 170 cm or more:	1,8 m	2,2 m	2,6 m	2,6 m	2,6 m	3,8 m
Fabric width: minimum 130 cm:	1,8 m	2,2 m	2,6 m	3,0 m	3,4 m	3,8 m
Desktop in compact laminate 9.8 mm						
White, incl. rails for attachment and reinforcement tubes.						
Depth 550 mm	445.-	445.-	445.-	663.-	663.-	663.-
Depth 750 mm	482.-	482.-	482.-	811.-	811.-	811.-

There is a wide accessory program from Kondator. For example integrated rails for monitor holder, letter tray, pen holders, etc. See page 32.

Do you have questions or requests, then contact our sales department. We provide suggestions for other sizes as well as providing technical solutions. Please request quote.




MULTIMIX


Design Kurt Mehlqvist



SOUND ABSORPTION MULTIMIX



Weighted screen sound attenuation acc. to ISO 10053. Delta L_{s,w} = 13dB
 Tested according to SS-EN ISO354 for sound absorbing.
 Evaluated according to SS-EN ISO 11654.
 Active: Fabric and 2x15 mm polyether on 8 mm MDF-board.







MULTIMIX FLOORSCREEN

Width x Height in mm

Basic price (Frame) Beech or Birch natural	440	640	840
Frame natural height 900 (2 squares without fillings)	227 .-	250 .-	269 .-
Frame natural height 1300 (3 squares without fillings)	291 .-	322 .-	354 .-
Frame natural height 1700 (4 squares without fillings)	355 .-	394 .-	439 .-
Frame natural height 2100 (5 squares without fillings)	419 .-	466 .-	524 .-
Standard colour / Colour / Screen	+ 72 .-	+ 72 .-	+ 72 .-
Filling (1 square)	Price / Square	Price / Square	Price / Square
Veneer	160 .-	185 .-	208 .-
Veneer, perforated	182 .-	209 .-	235 .-
Glass tempered	114 .-	132 .-	149 .-
Glass etched white, tempered	142 .-	163 .-	185 .-
Sheet-metal plate, perforated	114 .-	132 .-	149 .-
Fabric Lucia from Camira on sound absorbent	146 .-	168 .-	189 .-
Fabric Blazer from Camira on sound absorbent	155 .-	179 .-	202 .-
Fabric Flex from Gabriel on sound absorbent	158 .-	182 .-	206 .-
Fabric Europost from Gabriel on sound absorbent	183 .-	210 .-	238 .-
Customer's fabric on sound absorbent	123 .-	143 .-	160 .-
Laminate, standard (see below)	160 .-	185 .-	208 .-
Laminate, brushed aluminum	182 .-	209 .-	235 .-


Concealed fittings

		Art.nr.	
	Connecting Strip, straight	190201	142 .-
	Connecting Strip, 3-way	190202	190 .-
	Connecting Strip, 4-way	190203	216 .-
	End Strip	190209	142 .-
	Connecting Strip 90°	190204	169 .-
	Connecting Strip 45°	190205	170 .-


Straight Multimix foot Grey lacquer

	500 mm	5797050	39 .-
---	--------	---------	-------


Fillings



Veneer
Fabric on sound abs.
Laminate
Desk Top



Sheet-metal plate,
perforated






Veneer, perforated

Do you have questions or requests, please contact our sales department.
We make proposals and provides technical solutions.
Don't hesitate to ask for a quote.

Standard laminate: White Beech F 2726
Black Birch F 14/014
Grey U 732

NATURA

Design Bertil Harström SIR/MSA







NATURA FLOORSCREEN


Width x Height in mm

Frame: Natural Beech or Birch	750 x 1500	Filling	Art.No.	
Circle		Birch Veneer, natural	5789000	675 .-
		Acrylic plastic: Orange, opal or frost	5789003	840 .-
		Glass, screenprinted background	5789009	791 .-
Square		Birch Veneer, natural	5789010	675 .-
		Acrylic plastic: Orange, opal or frost	5789013	840 .-
		Glass, screenprinted background	5789019	791 .-
Plain		Birch Veneer, natural	5789002	609 .-
		Acrylic plastic: Orange, opal or frost	5789022	828 .-
Round Bars		Fabric Lucia from Camira	5789030	726 .-
		Fabric Flex from Gabriel	5797030	764 .-
		Customer's fabric	5789035	635 .-
Required quantity of fabric:		Width min 140 cm: 1,6 m + Pattern fit		
Surcharge, stained frame and / or fillings in standard colour				+ 72 .-



ALUMINUM FOOT - fittings, grey lacquered

		Art.No.	
	Aluminum Foot with single bottom fitting Ø 285x90 mm.	5789040 5789056	173 .-
	Aluminum Foot with double bottom fitting Ø 285x90 mm.	5789040 5789053	173 .-
	Leg 90, single.	5789054	31 .-
	Leg 90, double	5789051	51 .-

WOODEN FOOT - fittings

	Wooden foot. single 400 mm	Beech, natural Stained Birch, natural	5789044 5789045 5789048	39 .- 39 .- 39 .-	
		Wooden foot. double 400 mm	Beech natural Stained Birch, natural	5789046 5789047 5789049	73 .- 73 .- 73 .-
		Leg 40, single.	Grey lacquered	5789055	31 .-
Leg 40, double,		Grey lacquered	5789052	51 .-	
	Furniturewheel 50 mm, lockable. For assamblage on Natura wooden foot, leg 40 single and leg 40 double. Height: 64 mm.	900000016	8 .-		

CONNECTING FITTINGS, grey lacquered

	Top fitting	5789050	34 .-
	Wall support, with hinges	5789057	34 .-




NOPIANO


Design Bertil Harström SIR/MSA



Conclusion-strip



Screen with side strips



Screen with side strips



Bars without side strips



Double-hinge



Curved bars without side strips



Conclusion strip

NOPIANO FLOORSCREEN

Oak or beech natural

Width x Height in mm


Screen with side strips

	400 x 1500	400 x 1700	600 x 1500	600 x 1700	800 x 1500	800 x 1700
Corklinoleum, std. colour / beige 1191	642.-	676.-	752.-	808.-	860.-	932.-
Polyester Felt, anthracite grey	564.-	587.-	619.-	639.-	713.-	743.-
Veneer, natural, Oak or Beech	500.-	521.-	536.-	563.-	578.-	607.-
Glass, screenprinted white	477.-	-	543.-	-	604.-	-
Whiteboard	775.-	813.-	863.-	922.-	969.-	1 028.-



Bars without side strips

	400 x 1500	400 x 1700	600 x 1500	600 x 1700	800 x 1500	800 x 1700
Bars straight, natural Oak or Beech	589.-	675.-	654.-	749.-	784.-	898.-
Bars straight, MDF stained	271.-	310.-	303.-	347.-	363.-	415.-

Curved bars without side strips width 555, radius 400

	Height 1500	Height 1700	Floor support, aluminum	Art.No.
Curved bars, natural	1 262.-	1 446.-		150110
Curved bars, MDF, stained	691.-	792.-		150111

Fittings - endings

	Height 1500	Height 1700		Art.No.
Double hinge, natural	129.-	136.-		150112
Conclusion strip, natural	91.-	94.-		150113
Wall support, natural	91.-	94.-		107.-
Stained sidestrips or/and veneerfillings		+ 70.-		
Stained bars in oak or beech		+ 141.-		

NOPIANO CONFERENCE SCREEN

Foldable, complete with floor support on wheels

Type of wood

Type of wood	Width x Height in mm	Art. No.	Weight	Volume	
Beech natural	2350 x 1500	160600	48 kg	0,2 m ³	2 729.-
Oak natural	2350 x 1500	150600	48 kg	0,2 m ³	2 729.-
Beech natural	2350 x 1700	160605	55 kg	0,3 m ³	2 885.-
Oak natural	2350 x 1700	150605	55 kg	0,3 m ³	2 885.-

Fillings:

Side 1: Veneer, natural / White writing surface (Laminate)/ Corklinoleum Beige 1191


Side 2: Veneer, natural

Accessories: Flipover incl. bracket

+ 52.-

Surcharge for standard stain

+ 216.-




Do you have other requests, or want something beside standard, please contact our sales department. Don't hesitate to ask for a quote.

TEMA


Design Christer Roswall / Team Glimakra



SOUND ABSORPTION TEMA 15 mm, SS-EN ISO 354 and 11654



Tested according to SS-EN ISO354 for sound absorbing.
 Evaluated according to SS-EN ISO 11654.
 Active material: Fabric and 2x15 mm polyether on 6 mm MDF-board.



TEMA FLOORSCREEN

Beech or Birch natural, Rectangular top

Filling

	Width x Height in mm					
	735 x 1500	735 x 1800	830 x 1500	830 x 1800	1000 x 1500	1000 x 1800
Vertical bars (Only Rectangular top)	622.-	676.-	746.-	797.-	886.-	951.-
Trellis	622.-	676.-	746.-	797.-	886.-	951.-
Veneer	761.-	816.-	885.-	966.-	1 001.-	1 092.-
Laminate, standard (see below)	761.-	816.-	885.-	966.-	1 001.-	1 092.-
Glass, tempered	637.-	690.-	757.-	811.-	905.-	966.-
Fabric Lucia from Camira on sound absorbent	808.-	864.-	927.-	975.-	1 094.-	1 149.-
Fabric Blazer from Camira on sound absorbent	838.-	900.-	1 069.-	1 144.-	1 154.-	1 221.-
Fabric Flex from Gabriel on sound absorbent	848.-	911.-	966.-	1 020.-	1 174.-	1 242.-
Customer's fabric on sound absorbent	727.-	767.-	848.-	879.-	932.-	955.-
Required quantity of fabric: (+ pattern fit)	1,5 m	1,8 m	1,5 m	1,5 m	3,0 m	3,6 m
Fabric width:	min. 1,3 m	min. 1,3 m	min. 1,5 m	min. 1,3 m	min. 1,0 m	min. 1,0 m


Surcharge for other models Dividing borders

Divided frame horizontal division 45°	+ 72.-
Other tops	+ 72.-
Standard stain	+ 72.-

FITTINGS - grey lacquered

Floor support

Height adjustable foot.
Height above floor appr. 70 mm.



Art.nr.

5797002 47.-

Adjustable foot


Height above floor appr. 70 mm.



5797001 47.-

Floor support on lockable wheels

Height adjustable foot.
Height above floor appr. 120 mm.



5797122 63.-

Adjustable foot on wheel

Height above floor appr. 120 mm.



5797121 57.-

Wall support, fixed

Adds 23 mm.



5797006 25.-

Straight connection

Adds 6 mm.



5797008 25.-

Fork hinge

Small (M6)



402006025 4.-

Calculation of divided screen.

The highest filling price + Dividing borders.

Example: The combination glass and veneer is calculated on the veneer price + Dividing borders.

Standard laminate:

White	Beech F 2726
Black	Birch F 14/014
Grey U 732	

If you have other requests, for example of size, fillings, paints / stains, etc, don't hesitate to ask for quote.

WEBB

Design Nils Gulin SIR/MSA, MFA



WEBB FLOORSCREEN

Incl. aluminum feet on wheels

Net
1000 x 1600 mm

Open
1000 x 1600 mm

Frame: Birch or painted.

Pattern: Painted

Filling: Form pressed felt 10 mm, dark grey

1 283 .-


1 233 .-

Weight: 22 kg


Standard colours:

White,	NCS S 0502-Y
Black	NCS S 9000-N
Red	NCS S 3560-Y80R
Mustard	NCS S 2070-Y30R

SOUND ABSORPTION WEBB



Tested according to SS-EN ISO354 for sound absorbing.
Evaluated according to SS-EN ISO 11654.
Active material: 2x10 mm felt 1,5 kg/m² polyester on 10 mm MDF-board.



VIKING

Design Team Glimakra



VIKING FOLDABLE SCREEN

Complete incl. fittings

(incl. lockable wheels, Height: 77 mm)

Width: 3x729 mm= 2187 mm incl. fittings.

Frame: Beech natural

Fillning

Beech veneer

Fabric Lucia from Camira

Fabric Blazer from Camira

Fabric Flex from Gabriel

Customer's fabric

Laminate, standard, see below.

Per side

Per side

Per pc

Per complete combination

Per complete combination

Height 1500

Height 1800

1 809 .-

1 809 .-

2 019 .-

1 968 .-

1 809 .-

1 809 .-

+ 158 .-

+ 257 .-

+ 52 .-

+ 216 .-

+ 151 .-

1 992 .-

1 992 .-

2 202 .-

2 151 .-

1 992 .-

1 992 .-

+ 158 .-



+ 286 .-

+ 52 .-

+ 216 .-

+ 151 .-

Additional: White writing surface. (Laminate)
Whiteboard (magnetic)
Flipover incl. bracket
Sound absorbent 10 mm polyether
Standard colour



Standard laminate:

White
Black

Beech F 2726
Grey U 732

	Weight	Volume	Quantity of fabric
Height 1500 mm	35 kg	0,16 m3	4,5 m
Height 1800 mm	41 kg	0,19 m3	5,4 m


If you have other requests than standard, don't hesitate to contact our sales department and ask for help and a quote.

CONTRAST



Design Team Glimakra / Philip Edis



SOUND ABSORPTION CONTRAST 40 mm



Tested according to SS-EN ISO354 for sound absorbing.
 Evaluated according to SS-EN ISO 354 and 11654.
 Active: Fabric and 2x15 mm polyether on 8 mm MDF-board.



CONTRAST "LIGHT" DETAIL

CONTRAST FLOORSCREEN 40 mm

Sound absorbent

Width x Height in mm

White, black or grey edging

800 x 1500 800 x 1800 1000 x 1500 1000 x 1800 1200 x 1500 1200 x 1800

Upholstery on sound absorbent

Fabric Lucia from Camira	432.-	480.-	537.-	579.-	679.-	705.-
Fabric Blazer from Camira	615.-	703.-	664.-	758.-	776.-	791.-
Fabric Flex from Gabriel	592.-	646.-	619.-	684.-	732.-	820.-
Fabric Europost from Gabriel	815.-	942.-	864.-	995.-	963.-	1038.-
Customer's fabric	378.-	422.-	428.-	477.-	525.-	574.-
Required quantity of fabric: (+ pattern fit)						
Fabric width: min, width of the absorbent +10 cm:	3,2 m	3,8 m	3,2 m	3,8 m	3,2 m	3,8 m
Footplate 750 x 400 mm powder coated matt-finished chrome		98.-				
Straight foot greylacquered, price per couple		62.-				

CONTRAST DESK-UP SCREEN 40 mm

Sound absorbent

Width in mm x height 640 mm

White, black or grey edging

800 1000 1200 1400 1600 1800 2000

Upholstery on sound absorbent

Fabric Lucia from Camira	302.-	338.-	373.-	406.-	432.-	461.-	510.-
Fabric Blazer from Camira	338.-	383.-	422.-	464.-	498.-	532.-	569.-
Fabric Flex from Gabriel	341.-	387.-	428.-	469.-	503.-	539.-	575.-
Fabric Europost from Gabriel	394.-	452.-	504.-	558.-	604.-	651.-	700.-
Customer's fabric	272.-	302.-	327.-	353.-	372.-	391.-	414.-
Required quantity of fabric: (+ pattern fit)							
Fabric width: 140 cm or more:	0,9 m	1,1 m	1,3 m	1,5 m	1,7 m	1,9 m	2,1 m
Fabric width: less than 140 cm:	1,8 m	2,2 m	2,6 m	3,0 m	3,4 m	3,8 m	4,2 m
Surcharge for table fitting Stable	+ 18.-	+ 18.-	+ 18.-	+ 18.-	+ 27.-	+ 27.-	+ 27.-
Surcharge for table fitting F	+ 38.-	+ 38.-	+ 38.-	+ 38.-	+ 57.-	+ 57.-	+ 57.-

CONTRAST "LIGHT" DESK-UP SCREEN 20 mm

Width in mm x height 640 mm

White, black or grey edging

800 1000 1200 1400 1600 1800 2000

Upholstery

Fabric Lucia from Camira	212.-	239.-	264.-	290.-	310.-	330.-	352.-
Fabric Blazer from Camira	247.-	281.-	313.-	346.-	374.-	402.-	432.-
Fabric Flex from Gabriel	237.-	271.-	301.-	331.-	357.-	384.-	412.-
Fabric Europost from Gabriel	299.-	346.-	390.-	434.-	474.-	515.-	556.-
Customer's fabric	177.-	195.-	212.-	230.-	243.-	255.-	270.-
Required quantity of fabric: (+ pattern fit)							
Fabric width: 140 cm or more:	0,9 m	1,1 m	1,3 m	1,5 m	1,7 m	1,9 m	2,1 m
Fabric width: less than 140 cm:	1,8 m	2,2 m	2,6 m	3,0 m	3,4 m	3,8 m	4,2 m
Surcharge for table fitting F	+ 38.-	+ 38.-	+ 38.-	+ 38.-	+ 57.-	+ 57.-	+ 57.-




Table fitting angle
Fitted with screws from below.

Art.No.
5789062

Included in price of the screen




Table fitting F
Fitted, easily by hand on the table top.
Max thickness of table top, 28 mm.

Art.No.
149702

Surcharge see above.



Table fitting Stable
Fitted with screws from below.


Art.No.
L 5789064
R 5789063

Surcharge see above.



Do you have questions or requests, please contact our sales department. We give suggestions for other sizes and shapes as well as providing technical solutions. Don't hesitate to ask for a quote.

LIMBUS

Design Team Glimakra



Tested according to SS-EN ISO 354 for sound absorbing.
 Evaluated according to SS-EN ISO 354 and 11654.
 Active: Fabric and 2x15 mm polyether on 8 mm MDF-board.



LIMBUS DESK-UP SCREEN 40 mm

See our wide accessory program from Kondator.

Width in mm x Height 500 mm

With piping, available in several colours	800	1000	1200	1400	1600	1800	2000	2400
Soundabsorbing foam covered with fabric.								
Fabric Lucia from Camira	277 .-	312 .-	341 .-	358 .-	397 .-	368 .-	449 .-	501 .-
Fabric Blazer from Camira	307 .-	348 .-	384 .-	408 .-	453 .-	431 .-	518 .-	584 .-
Fabric Basic from Bogesunds	301 .-	340 .-	375 .-	397 .-	441 .-	418 .-	503 .-	566 .-
Customer's fabric	243 .-	270 .-	292 .-	301 .-	332 .-	296 .-	369 .-	406 .-
Required quantity of fabric: (+ pattern fit)								
Fabric width: 120 cm or more:	0,9 m	1,1 m	1,3 m	1,5 m	1,7 m	1,9 m	2,1 m	2,5 m

Width in mm x Height 640 mm

Fabric Lucia from Camira	319 .-	359 .-	392 .-	428 .-	455 .-	483 .-	514 .-	573 .-
Fabric Blazer from Camira	349 .-	395 .-	435 .-	478 .-	511 .-	546 .-	583 .-	656 .-
Fabric Basic from Bogesunds	343 .-	387 .-	426 .-	467 .-	499 .-	533 .-	568 .-	638 .-
Customer's fabric	285 .-	317 .-	343 .-	371 .-	390 .-	411 .-	434 .-	478 .-
Required quantity of fabric: (+ pattern fit)								
Fabric width: 140 cm or more:	0,9 m	1,1 m	1,3 m	1,5 m	1,7 m	1,9 m	2,1 m	2,5 m
Fabric width less than 140 cm:	1,8 m	2,2 m	2,6 m	3,0 m	3,4 m	3,8 m	4,2 m	5,0 m

Width in mm x Height 790 mm

Fabric Lucia from Camira	361 .-	406 .-	444 .-	483 .-	513 .-	544 .-	580 .-	645 .-
Fabric Blazer from Camira	455 .-	520 .-	580 .-	639 .-	689 .-	742 .-	798 .-	905 .-
Fabric Basic from Bogesunds	442 .-	505 .-	561 .-	618 .-	666 .-	715 .-	769 .-	870 .-
Customer's fabric	327 .-	364 .-	395 .-	426 .-	448 .-	472 .-	500 .-	550 .-
Required quantity of fabric: (+ pattern fit)								
Fabric width: 170 cm or more:	0,9 m	1,1 m	1,3 m	1,5 m	1,7 m	1,9 m	2,1 m	2,5 m
Fabric width less than 170 cm:	1,8 m	2,2 m	2,6 m	3,0 m	3,4 m	3,8 m	4,2 m	5,0 m
Surcharge for table fitting Stable	+ 18 .-	+ 18 .-	+ 18 .-	+ 18 .-	+ 27 .-	+ 27 .-	+ 27 .-	+ 36 .-
Surcharge for table fitting F	+ 38 .-	+ 38 .-	+ 38 .-	+ 38 .-	+ 57 .-	+ 57 .-	+ 57 .-	+ 76 .-

LIMBUS SOUND BAFFLES 40 mm

Vertical acoustic panel incl. Adjustable suspension wire

Width in mm x Height 500 mm

With piping, available in several colours	800	1000	1200	1400	1600	1800	2000	2400
Soundabsorbing foam covered with fabric.								
Fabric Lucia from Camira	332 .-	367 .-	396 .-	413 .-	453 .-	477 .-	504 .-	556 .-
Fabric Blazer from Camira	362 .-	403 .-	439 .-	463 .-	509 .-	540 .-	573 .-	639 .-
Fabric Basic from Bogesunds	356 .-	395 .-	430 .-	452 .-	497 .-	527 .-	558 .-	621 .-
Customer's fabric	298 .-	325 .-	347 .-	356 .-	388 .-	405 .-	424 .-	461 .-
Required quantity of fabric: (+ pattern fit)								
Fabric width: 140 cm or more:	0,9 m	1,1 m	1,3 m	1,5 m	1,7 m	1,9 m	2,1 m	2,5 m
Fabric width less than 140 cm:	1,8 m	2,2 m	2,6 m	3,0 m	3,4 m	3,8 m	4,2 m	5,0 m




Table fitting angle
Fitted with screws from below.

Art.No.
5789062

Included in price of the screen




Table fitting F
Fitted, easily by hand on the table top.
Max thickness of table top, 28 mm.

Art.No.
149702

Surcharge see above.



Table fitting Stable
Fitted with screws from below.

Art.No.
Li 5789064
Re 5789063




Surcharge see above.

Our sales department are happy to assist with technical solutions, providing suggestions or answers to your questions. Don't hesitate to ask for a quote.








KONDATOR ACCESSORIES FOR CONTRAST / LIMBUS



ACCESSORIES CONTRAST/LIMBUS Desk-up screen Conceptum M-Profile



Width in mm	800	1000	1200	1400	1600	1800	2000
Rail Integrated							
Silver	106.-	124.-	142.-	161.-	178.-	197.-	213.-
White	117.-	137.-	156.-	177.-	196.-	217.-	234.-
Display Holder Monitor Slider	3-joints		Monitor Slider 3-5 kg				
							
Silver		236.-		161.-			
White		260.-		177.-			

ACCESSORIES Aluminum


Article:	Shelf support (incl. shelves)	Shelf C4	Shelf C5	Catalogue Holder	Laptop shelf	Copy Holder	Pen holder
Silver	225.-	55.-	43.-	100.-	61.-	80.-	33.-
White	250.-	61.-	48.-	111.-	67.-	--	37.-
							
	Size Width x Depth in mm						
	327 x 221	222 x 166	222 x 166	270 x 255	390 x 320	225 x height 310	80 x 50

RANDI

Design Team Glimakra



Panels



RANDI DESK-UP SCREEN

Width in mm x height 640 mm

Basic screen	800	1000	1200	1400	1600	1800	2000
Beech, birch or oak natural	216 .-	223 .-	233 .-	244 .-	294 .-	312 .-	323 .-
Surcharge for Tablefitting F	+ 38 .-	+ 38 .-	+ 38 .-	+ 38 .-	+ 57 .-	+ 57 .-	+ 57 .-

Option

Perforated	+ 51 .-
Standard stain	+ 51 .-

Width x Height in mm

Panels	400 x 360	600 x 360	800 x 360	Ø 360
Sound absorbent fabric Lucia from Camira	169 .-	175 .-	185 .-	169 .-
Sound absorbent fabric Flex from Gabriel	175 .-	178 .-	192 .-	175 .-
Sound absorbent customer's fabric	159 .-	161 .-	167 .-	159 .-
Writing board, white	106 .-	116 .-	126 .-	106 .-
Pinboard Corklinoleum	106 .-	116 .-	126 .-	106 .-

Fittings




Table fitting angle
Fitted with screws from below.

Art.nr.

5789060 Included in price




Table fitting F Aluminum
Fitted, easily by hand on the table top.
Max thickness of table top, 28 mm.


149700 Surcharge see table above

ZIGGY

Design Bertil Harström SIR/MSA



DESK-UP SCREEN
STRAIGHT



DESK-UP SCREEN
CURVED



ZIGGY DESK-UP SCREEN

Width in mm x height 650 mm

Polyesterfelt 5mm	Width in mm						Height	
	800	1000	1200	1400	1600	1800	Curved Ø 700	Curved Ø 900
White/Anthracite	360.-	487.-	527.-	545.-	565.-	603.-	565.-	565.-
Grey/Anthracite	360.-	487.-	527.-	545.-	565.-	603.-	565.-	565.-
White/Red	360.-	487.-	527.-	545.-	565.-	603.-	565.-	565.-

Fittings

Painted MDF list, Silver 4 or White NCS S 0502-Y Included in the price of the screen

Powder coated metal fittings, Silver 4
(For table thickness 20-30mm as standard) Included in the price of the screen

Felt, Double coloured form pressured polyester felt, 2000g.
Thickness 5-mm

If you have other requests than standard, don't hesitate to contact our sales department and ask for help and a quote.

ZIGGY RECEPTION DESK

Complete with height-adjustable stand Desk Shelves dimension, Width 1800 mm x depth 750 mm

	Height mm	Art.No	Weight	Volume	
Desk Shelves in white Composite Polyesterfelt 5mm White/Anthracite, Grey/Anthracite, White/Red	730 - 1100		90 kg	1,2 m ³	6 922.-

ZIGGY INFORMATION DESK

Complete with height-adjustable stand Desk Shelves dimension Ø 750 mm

	Height mm	Art.No	Weight	Volume	
Desk Shelves in white Composite Polyesterfelt 5mm White/Anthracite, Grey/Anthracite, White/Red	730 - 1100		50 kg	0,6 m ³	4 260.-




CASTLE


Design Markus Johansson




SECTION CONCAVE



SECTION STRAIGHT



SECTION CONVEX



CASTLE DESK

	Section Straight	Section Concave	Section Convex
Hight mm 1100 mm			
Moulded beech			
White	1 852 .-	1 852 .-	2 121 .-

Castle is delivered complete with desk top and front.
 Desk top and front can be color customized
 Table stand is made of metal that is powdercoated in white.

**We make drawings, give proposals and provide technical solutions.
 Don't hesitate to ask for a quote.**

CASTLE DISK Proposal / price indication

Desk 1/ 2013, complete



Consisting of:

2 pcs Section Straight 7 410 .-
 2 pcs Section Concave

Desk 2/ 2013, complete



Consisting of:

3 pc Section Straight 12 965 .-
 4 pcs Section Concave

Desk 3/ 2013, complete






Consisting of:

2 pcs Section Straight 13 235 .-
 4 pcs Section Concave
 1 pcs Section Convex

EUROPO DISC

Design Team Glimakra



Curved frame

EUROPO DISC RECEPTION DESK

Desks are easy to assemble.

Height 760 / 1100 mm	Width in mm							
	800		1000		1200		Curved	
Type of wood	Beech / birch natural	Oak natural	Beech / birch natural	Oak natural	Beech / birch natural	Oak natural	Beech / birch natural	Oak natural
Veneer	540.-	622.-	554.-	637.-	574.-	660.-	928.-	1 014.-
Glass tempered	499.-	573.-	510.-	587.-	528.-	607.-	-	-
Etched Glass, tempered	549.-	623.-	576.-	652.-	604.-	685.-	-	-
Laminate, standard (see below)	540.-	622.-	554.-	637.-	574.-	660.-	928.-	1 014.-
Laminate, brushed aluminum	683.-	762.-	730.-	816.-	785.-	872.-	1 139.-	1 226.-

Concealed fittings		
Straight fitting or ending	64.-	72.-
Conneting Strip, 90° or 60° or 45°	75.-	90.-
Support, diagonal or straight	89.-	100.-

Surcharge for other models	
Dividing border	72.-
Standard stain	72.-

Calculation of divided screen

The highest filling price + Dividing borders, gives the price on a divided screen.

Example: The combination glass and veneer is calculated on the veneerprice + Dividing borders.

EUROPO Desk Shelf


Depth 400 mm	Length sizes matched to the front, in mm					
	0 - 1100	1101 - 1600	1601 - 2100	2101 - 2430	Curved	Standard stain
Laminate, standard (see below)	354.-	503.-	651.-	766.-	786.-	+ 72.-
Veneer, Beech, Birch or Oak, natural	354.-	503.-	651.-	766.-	786.-	+ 72.-
Desk Top, linoleum	374.-	530.-	683.-	816.-	839.-	+ 72.-

Desk Lighting incl. cover strip (mounted under the Shelf)	LED lightning	per pc	160.-
---	---------------	--------	-------

We produce desk- and counter- tops in other forms. Do you have questions or requests, please contact our sales department. We make proposals and provide technical solutions. Don't hesitate to ask for a quote.


EUROPO DISC Proposal / price indication

Disc 1 / 2012, Complete Basic configuration*




3 138.-

Disc 2 / 2012, Complete Basic configuration*




4 599.-

Disc 3 / 2012, Complete Basic configuration*



2 244.-

Disc 4 / 2012, Complete Basic configuration*



5 576.-

Basic configuration* = The whole Desk in Beech or Birch Filling in veneer, desk shelves in Standard laminate.

Standard laminate.

White
Black
Grey U 732

Beech F 2726
Birch F 14/014
Oak

MULTIMIX

Design Kurt Mehlqvist




MULTIMIX Desk Proposal / price indication

Disc 1 / 2012, Complete

Basic configuration*


4 371 .-



Disc 2 / 2012, Complete

Basic configuration*


5 352 .-



Disc 3 / 2012, Complete

Basic configuration*


3 813 .-



Disc 4 / 2012, Complete

Basic configuration*

7 019 .-








Basic configuration* = The whole Desk in Beech or Birch
Filling in veener, desk shelves in Standard laminate.


MULTIMIX RECEPTION DESK

Front Panel	Width x Height 900 mm		
Basic price (Frame) Beech or Birch natural	440	640	840
Frame natural, height 900 (2 squares without fillings)	227 .-	250 .-	269 .-
Filling (1 square)	Price / Square	Price / Square	Price / Square
Veneer (pattern as shown in Figure page 15)	160 .-	185 .-	208 .-
Veneer, perforated (pattern as shown in Figure page 15)	182 .-	209 .-	235 .-
Glass tempered	114 .-	132 .-	149 .-
Glass etched white, tempered	142 .-	163 .-	185 .-
Sheet-metal plate, perforated (pattern as shown in Figure page 15)	114 .-	132 .-	149 .-
Laminate, standard (see below)	160 .-	185 .-	208 .-
Laminate, brushed aluminum	182 .-	209 .-	235 .-
Base 160 mm / Colours			
Veneer / Laminate standard (Surcharge per front Panel)		+ 53 .-	
Laminate, brushed aluminum (Surcharge per front Panel)		+ 60 .-	
Surcharge, Standardcolour / Colour / front Panel		+ 72 .-	

Concealed fittings

Multimix desks are easy to assemble.

	Art.nr.	
 Connecting strip, straight	190201	142 .-
 Connecting strip, 3-way	190202	190 .-
 Connecting strip, End strip	190209	142 .-
 Connecting strip 90°	190204	169 .-
 Connecting strip 45°	190205	170 .-
Wooden Support Straight		85 .-



Wooden Support

MULTIMIX Desk shelf

Length fitted to front Panel (mm)

Desk shelf, depth 360 mm	0 - 1100	1101 - 1600	1601 - 2100	2101 - 2430	depth 480	Std. Colour
Laminate, standard (see below)	429 .-	601 .-	776 .-	918 .-	+ 20 %	+ 72 .-
Veneer, beech or birch, natural	429 .-	601 .-	776 .-	918 .-	+ 20 %	+ 72 .-
DeskTop, linoleum	468 .-	684 .-	855 .-	1 021 .-	+ 20 %	+ 72 .-

Desk lighting incl. coverlist (Mounted under the shelf)	LED-lighting	per pc	160 .-
---	--------------	--------	--------

Price calculation of a Multimix desk is the sum of:

Price for a front Panel, is equal to Multimix screens H 900 mm
 + number of Fillings
 + Bases 160 mm
 + Deskselves
 + Fittings
 + Support

We produce desk- and counter- tops in other forms. Do you have questions or requests, please contact our sales department.
 We make proposals and provide technical solutions.
 Don't hesitate to ask for a quote.


Standard laminate: White
 Black
 Grey U 732
 Beech F 2726
 Birch F 14/014

EUROPO ROOM

Design Team Glimakra



SOUND ABSORPTION EUROPO ROOM 20mm, SS-EN ISO 354 and 11654



Weighted screen sound attenuation acc. to ISO 10053. Delta L_{s,w}=20dB
Tested according to SS-EN ISO354 for sound absorbing.
Evaluated according to SS-EN ISO 11654.
Active material: Fabric and 2x20 mm polyether on 8 mm MDF-board.

EUROPO ROOM

Screen incl. division and acoustic trim

Beech or Birch natural	Width x Height in mm					
	800 x 2070	1000 x 2070	1200 x 2070	800 x 2700	1000 x 2700	1200 x 2700
Veneer, natural	890.-	945.-	1 020.-	1 067.-	1 134.-	1 224.-
Glass tempered	809.-	887.-	944.-	970.-	1 064.-	1 132.-
Glass etched, tempered	898.-	999.-	1 081.-	1 076.-	1 199.-	1 298.-
Laminate, standard (see below)	890.-	945.-	1 020.-	1 067.-	1 134.-	1 224.-
Fabric Lucia from Camira on sound absorbent	944.-	1 131.-	1 198.-	1 132.-	1 357.-	1 438.-
Fabric Blazer from Camira on sound absorb.	1 159.-	1 221.-	1 279.-	1 430.-	1 503.-	1 573.-
Fabric Flex from Gabriel on sound absorbent	995.-	1 221.-	1 297.-	1 193.-	1 466.-	1 556.-
Fabric Europost from Gabriel on sound absorb.	1 437.-	1 498.-	1 557.-	1 763.-	1 836.-	1 906.-
Customer's fabric on sound absorbent	865.-	925.-	984.-	1 037.-	1 110.-	1 180.-

Slidingdoor incl. division, covered bar and lock

Beech or Birch natural

	Width x Height in mm	
	860 x 1995	1060 x 1995
Glass tempered	1 659.-	1 752.-
Glass etched, tempered	1 752.-	1 846.-

Concealed fittings:

Beech or Birch natural

Straight fitting or end Strip	64.-
Connecting Strip, 90° or 60° or 45°	75.-
4-way or 3-way fitting, 120° , 90° or 180°	91.-
Support, Diagonal	89.-
Europo foot, Straight, 500 mm, grey	39.-
Art.No 189048	

Surcharge for other models:

Standardcolour / Screen	+ 72.-
-------------------------	--------

Calculation of divided screen/sliding door


The highest filling price, gives the price on a divided screen or sliding door.

Example: The combination glass and veneer is calculated on the veneerprice.

Standard laminate:

White	Beech F 2726
Black	Birch F 14/014
Grey U 732	

We manufacture interior walls and rooms exactly to our customers need, to the millimeter.
If you have questions or requests, please don't hesitate to contact our sales department.
We help you with pricing, plan proposals and providing technical solutions. Please ask for a quote.



LINK CABINET

Design Tom Stepp MAA MDD



LINK CABINET

Basic configuration:

Black stained Top panel in MDF.
Lockable glass door. Adjustable feet.

2 Adjustable glass shelves, 6 mm.
T2 Compact fluorescent lamp.

Birch natural 800 x 400 x 1845

Lighting: 2 x 7 w

Back

Veneer
Glass
Extra glas shelf

Weight / volume

70 kg / 1,9 m³

Art.No

172100 2 494 .-
172101 2 494 .-
172105 41 .-

Birch natural 800 x 500 x 1845

Lighting: 2 x 7 w

Veneer
Glass
Extra glas shelf

88 kg / 1,9 m³

172103 2 649 .-
172104 2 649 .-
172113 54 .-

Birch natural 500 x 500 x 1845

Lighting: 1 x 7 w

Veneer
Glass
Extra glas shelf

60 kg / 0,95 m³

172107 2 403 .-
172108 2 403 .-
172114 37 .-

Birch natural 800 x 800 x 1845

Lighting: 4 x 7 w

Veneer
Glass
Extra glas shelf

120 kg / 2,15 m³

172110 3 165 .-
172111 3 165 .-
172115 82 .-

LINK WALL CABINET

Birch natural 800 x 350 x 1000

Lighting: 2 x 7 w

Back

Veneer
Extra glas shelf

Weight / volume

37 kg / 0,7 m³


Art.No

172120 2 029 .-
172130 37 .-

Surcharge, standardcolour / Colour / Cabinet

All cabinets have locks, weekly-timer and tempered glass and are supplied assembled.

+ 159 .-



ROCK´N ROLL

Design Tom Stepp MAA MDD



ROCK´N ROLL WARDROBE

Wooden hat rack and shoe rack in laminate, Coat bar in metal.

Single

Width 620 mm, Height 1770 mm Depth 560 mm
Weight: 31 kg Volume 0,2 flm

Beech natural/ Birch natural
Surcharge for standard stain

Art.no.

175010 / 175070

1 907 .-
+ 156 .-

Double

Width 1090 mm, Height 1770 mm Depth 560 mm
Weight: 48 kg Volume 0,4 flm

Beech natural/ Birch natural
Surcharge for standard stain

Art.no.

175020 / 175080

2 270 .-
+ 208 .-

Tripple

Width 1565 mm, Height 1770 mm Depth 560 mm
Weight: 90 kg Volume 0,8 flm

Beech natural/ Birch natural
Surcharge for standard stain

Art.no.

175025 / 175085

2 707 .-
+ 208 .-

Coat hanger

Moulded wooden Coat hanger.

Width 420 mm, Height 160 mm


Beech natural/ Birch natural

Surcharge for standard stain.
(No surcharge when ordering a wardrobe or a bench in same colour.)

Art.no.


175000 / 175006

47 .-
+ 72 .- (regardless the number)



KLODS HANS

Design Tom Stepp MAA MDD



KLODS HANS COAT RACK

Including white lacquered foot

Basic colour
1760 x 300 mm

Surcharge for other stains

Blocks: Birch Natural or Standard stain

708.-

+ 44.- / per colour


Foot: Powder Coated White

Weight: 15 kg

KLODS HANS is a freestanding coat rack forming a practical and personal accessory. 11 pcs wood blocks with an off-centered hole stacked. 7 pcs of the blocks has a 200 mm suspension pin for clothes and other items. The blocks are removable and rotatable. 19 colours available as standard.

Basic colours:	White	NZ-192-M1002-1
	Black	NZ-182-M1018-01
	Grey	NZ-182-S2502-R

Other colours you will find on our website.
www.glimakra.com



Terms of sales:	All prices are in EUR, EXW (freight costs are additional) and excl. VAT. We reserve the right to make price and design changes, or missprints.
Time of delivery:	Appr. 3-4 work weeks after receipt of order. Time of delivery confirmed refers to departure from factory.
Damage during transport/ complaints:	Visible damages or partial delivery shall be reported immediately to the shipping company and listed on the freight bill. Damages that are not directly visible, shall be notified to the transportation company and Glimakra urgently within 7 days.
Guarantee:	Five years for defects in material and production errors.
Assembly:	To be performed by buyer/ receiver.
Finishing:	Beech and birch with water based clear varnish. Oak with ethanol based clear varnish. Stained performance, ethanol based stain, ethanol based clear varnish. Stained fillings for Natura: Ethanol based stain, water based clear varnish. NOTE! Because of the naturally occurring colour variations in wood, the exact shade is not guaranteed.
Special stain or paint:	We offer all stain and paint, which are acceptable from environment point of view at a supplementary price of EUR 220.- per colour and order.
Use of customers material:	To be able to fulfill time of delivery confirmed, we must receive the material at the latest 10 work days before stated supply and the shipment has to be marked with "Quotation No" and delivery week.
Standard fabric:	Lucia from Camira, 100% polyester, www.camirafabrics.com Blazer from Camira, 100% wool, www.camirafabrics.com Flex from Gabriel, 100% polyester, www.gabriel.dk Europost from Gabriel, 100% wool, www.gabriel.dk Basic from Bogesunds, 100% wolle, www.bogesunds.se .
Sound absorbent:	Alp, E-Line, Europo, Multimix, Tema, Contrast, Global, Ocean, panels for Randi: Body of MDF upholstered with polyester foam and fabric. Tested according to ISO-norms for sound absorbing. Privacy: Polyeter. Webb: Felt (polyester). More information is available on separate documentation.
Quality control:	To fulfill our undertaking we are since 1996 certified according to the quality control standard ISO 9001: 2008.
Environment control system:	We are certified according to the ISO-14001:2004 standard since 1998 and our internal workenvironment is regulated according to AFS 2001:1. Our goal is to have 100% recyclable products.
Other performance:	The pricelist just explains a minor part af the options we are able to offer. Would you like another proposal, we are pleased to quote you.



GLIMAKRA OF SWEDEN

Glimakra of Sweden AB

Box 125, SE-280 64 Glimåkra, Sweden

Tel 044-454 10. Fax 044-454 11

Export: Tel +46 44 454 20. Fax +46 44 454 21

Showrooms

Glimåkra Tel +46 44 454 10

Stockholm Studio B3 Tel +46 8 21 42 31

info@glimakra.com www.glimakra.com



ACOUSTIC HIGHER DESIGN
GREATER FLEXIBILITY | BETTER QUALITY